




PRZENOŚNY WENTYLATOR ODGAZOWUJĄCY

TYP
MPV-A1EGSX



ZASTOSOWANIE

Typowym zastosowaniem tego wentylatora jest mechaniczna wentylacja niebezpiecznych obszarów i zbiorników ładunkowych na pokładzie statków. Montaż w otworach zbiorników na pokładzie.

KONSTRUKCJA

MPV-A1EGSX jest przeznaczony przede wszystkim do mechanicznej wentylacji zbiorników ładunkowych i innych miejsc, w których występują wybuchowe opary. Wentylator jest odporny na iskrzenie z silnikiem napędzanym wodą lub sprężonym powietrzem.

WYKONANIE

Obudowa wentylatora wykonana jest z odpornego na wodę morską aluminium w wykonaniu wysokowytrzymałym. Wirnik jest wykonany z aluminium odpornego na sól i amoniak lub ze wzmocnionego polipropylenu. Aerodynamiczny kształt i wyważenie. Osłona z siatki stalowej jest wykonana ze stali nierdzewnej.

MPV-A1EGSX dostępny jest od rozmiaru nr 300 do rozmiaru nr 500. Średnica koła podziałowego może zostać dostosowana do wymagań klienta.

SILNIK

Napędzany wodą morską lub sprężonym powietrzem.

TOWARZYSTWA KLASYFIKACYJNE

Wentylator spełnia wymogi różnych towarzystw klasyfikacyjnych.

AKCESORIA (wentylator napędzany wodą)


- wózek
- przewody wlotu/wylotu wody
- składany przewód powietrza

AKCESORIA (wentylator napędzany powietrzem)

- wózek
- wąż sprężonego powietrza, wąż napędowy
- filtr powietrza / smarownica
- składany przewód powietrza



MPV - A1EGSX



This technical drawing illustrates a complex circular mechanical assembly, possibly a turbine or engine component. The design features a central hub with a circular opening, surrounded by multiple concentric rings. Radial vanes or blades are arranged between these rings, extending from the center towards the outer periphery. The assembly is supported by a base structure with four mounting points, each labeled with the letter 'A'. The drawing uses solid lines for the main components and dashed lines to indicate hidden internal features or assembly details. The overall layout is symmetrical, suggesting a balanced and efficient design.

Fan size	Weight fan with motor [kg]
350	25
400	26
450	27
500	28
Trolley (option)	11,5
Air motor (option)	+1

R.Berge
12/09-03,
rev. 27.05.04



NYBORG-MAWENT S.A.
ul. Ciepła 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com




NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com

MPV - A1EGSX



PORTABLE GAS-FREEING FAN
ARRANGEMENT HOSES, PRINCIPLE SKETCH

MPV 300/450
A1EGSX



CONNECTION:
N.D. 50A JIS 7335 (1116)/
N.D. 65A B5336
Or customer specification

Date : 05.03.98

Tegn : 4-1324

Name : M.Berge



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com




NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com

MPV 300/450
A1EGSX



WATER INLET HOSE

MPV 300/450
A1EGSX



5	1	Packing	Neopr
4	1	Hose, Armtex	
3	1	Nakajima joint	Brass
2	2	Hose nipple	Brass
1	1	Swivel nut	Brass
Item	Qty	Part/Description	Matr.

Date : 05.03.98

Tegn : 4-1327

Name : M.Berge



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepła 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com




NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com

MPV 300/450
A1EGSX



WATER OUTLET HOSE

MPV 300/450
A1EGSX



4	1	Packing	Neopr
3	1	Hose, Heliflat	
2	2	Hose nipple	Brass
1	1	Swivel nut	Brass
Item	Qty	Part	Matr.

Date : 05.03.98

Tegn : 4-1326

Name : M.Berge



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepła 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com




NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com

MPV 300/450
A1EGSX



AIR DUCT, COLLAPSIBLE

MPV 300/450
A1EGSX



3	1	Hose clamp	St.37
2	1	Wire reinf.	St.37
1	1	Hose	Nylon
Item	Qty	Part/Descript.	Material

Date : 05.03.98

Tegn : 4-1325

Name : M.Berge



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com



MPV 300/450
A1EGSX



NYBORG AXIAL FLOW FAN PERFORMANCE DATA

MPV 350 A

Imp: A6T / 22







NYBORG AXIAL FLOW FAN PERFORMANCE DATA

MPV 400 A

Imp: A7T / 22



nyborg12.prs/38



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com



MPV 400 A



NYBORG AXIAL FLOW FAN PERFORMANCE DATA

MPV 450 A

Imp: A7T / 22



nyborg12.prs/33



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com



MPV 450 A



NYBORG AXIAL FLOW FAN PERFORMANCE DATA

MPV 500 A

Imp: A7T / 22



nyborg12.prs/13



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


MPV 500 A



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 3,25F WM 0,10 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 3,25F WM 0,15 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 3,25F WM 0,20 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 3,25F WM 0,25 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 3,25F WM 0,30 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 4,25F WM 0,10 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 4,25F WM 0,20 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 4,25F WM 0,30 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com


**MPV -
A1EGSX**



NYBORG PORTABLE AXIAL FLOW FAN WATER CONSUMPTION CHART

**MPV -
A1EGSX**

WATER MOTOR : GILKES 4,25F WM 0,40 VENT



NYBORG - MAWENT

NYBORG-MAWENT S.A.
ul. Ciepla 6, 82-200 Malbork
tel.: +48 55 646 63 00
fax: +48 55 646 63 09
office@nyborg-mawent.com
www.nyborg-mawent.com



NYBORG AS
N-6230 Sykkylven, Norway
tel.: +47 70 25 40 80
fax: +47 70 25 29 08
office@nyborgfan.com
www.nyborgfan.com

**MPV -
A1EGSX**